


# Dumps4PDF



<http://www.dumps4pdf.com>

Latest dumps pdf, dumps free – Valid IT Exam Brainsdumps

**Exam** : **VCS-325**

**Title** : Administration of Veritas  
Backup Exec 20.1

**Vendor** : Veritas

**Version** : DEMO

**NO.1** When does Backup Exec Data Lifecycle Management (DLM) delete all the backup sets on which the backup set expiry date is reached?

- A. when the backup sets contain expired backup sets created by different backup definitions
- B. when the Allow Backup Exec to delete all expired backup sets option is checked
- C. when the backup sets contain multiple unexpired incremental backup sets, but the full backup has expired
- D. when the overwrite protection level is set to None

**Answer:** B

**NO.2** Which two capabilities are available with Instant Granular Recovery Technology (GRT)? (Choose two.)

- A. The catalog jobs are run as part of the backup job.
- B. The catalog jobs are run immediately after the backup job.
- C. Instant GRT can be enabled for tape-based backups.
- D. Backup sets can be searched for granular data.
- E. Backup sets can be dynamically browsed to select individual items.

**Answer:** A,E

**NO.3** When is the Install Device Drivers Option unavailable in the Configure Storage wizard?

- A. when Backup Exec detects hardware that is unsupported
- B. when Backup Exec detects that device drivers are already installed
- C. when Backup Exec is installed on a Windows 2008 or earlier operating system
- D. when Backup Exec is installed on a Windows 2012 or later operating system

**Answer:** D

**NO.4** Where is the metadata for the backup sets contained?

- A. in the Backup Exec Database
- B. in the HKLM\SOFTWARE\Veritas\Backup Exec registry key
- C. in the ...Backup Exec\Data directory
- D. in the ...Backup Exec\Catalogs directory

**Answer:** D

**NO.5** What is the purpose of enabling the Allow Backup Exec to Delete All Expired Backup Sets setting?

- A. It prevents Backup Exec from keeping the most recent backup set per resource.
- B. It causes Backup Exec to immediately delete all expired backup sets and disable the setting.
- C. It ensures a response to an alert will be required before any backup set is deleted.
- D. It ensures Data Lifecycle Management (DLM) is enabled instead of ADAMM.

**Answer:** A

**NO.6** An administrator needs to use Backup Exec to protect a VMware environment. The datastore containing the VMware virtual machines is located on SAN disk storage. The Backup Exec server is also connected to the SAN infrastructure. The administrator needs to ensure the backup data only

travels over the SAN.

How should the administrator proceed?

- A. enable forced SAN mode on the VMware vCenter server
- B. use the transport mode priority list option to only select SAN transport mode
- C. enter the IP Address of the SAN data storage server
- D. select the NBD transport option in backup properties

**Answer:** C

**NO.7** Which storage device should an administrator use to store virtual agent-based (Granular Recovery Technology) GRT-enabled backup sets that will be used to instantly recover a virtual machine?

- A. Disk storage
- B. Deduplication disk storage
- C. Cloud storage
- D. Tape storage

**Answer:** C

**NO.8** Which type of server should an administrator choose in Add a Server wizard under the Backup and Restore tab to add a SQL server?

- A. File server or NDMP data server
- B. Microsoft Windows computers and servers
- C. Microsoft SQL server
- D. Microsoft SharePoint server farm

**Answer:** C